

# Chameleon Kit ανίχνευσης οδηγίες

## ΣΗΜΑΝΤΙΚΕΣ ΣΗΜΕΙΩΣΕΙΣ:

- Τοποθετήστε κασέτες λίγο πριν τη χρήση. Οι κασέτες έχουν 24ωρη διάρκεια ζωής. Απορρίψτε όλες τις κασέτες μετά τη χρήση.
- Ελέγξτε την ημερομηνία λήξης στη συσκευασία της κασέτας πριν από τη χρήση. Μη χρησιμοποιείτε κασέτες που έχουν λήξει.
- Αποθηκεύστε σε δροσερό σημείο (25°C είναι το βέλτιστο). Η Βραχυπρόθεσμη αποθήκευση μεταξύ 2°C και 50°C είναι αποδεκτή.



**ΒΗΜΑ 1:**  
Επέλεξε 1 περιβραχιόνιο & μια συσκευασία κασετών



**ΒΗΜΑ 2:**  
Ανοίξτε τη σακούλα & αφαιρέστε τις συσκευασμένες κασέτες



**ΒΗΜΑ 3:**  
Αφαιρέστε την κασέτα από την σφραγισμένη συσκευασία



**ΒΗΜΑ 4:**  
Τοποθετήστε κάθε κασέτα με το κείμενο στραμμένο προς το επάνω μέρος



**ΒΗΜΑ 5:**  
Τοποθετήστε το περιβραχιόνιο στον καρπό με τις κασέτες προς τα πάνω. Προσαρμόστε το σε σταθερή θέση.



**ΒΗΜΑ 6:**  
Ελέγξτε το περιβραχιόνιο για αλλαγή χρώματος κάθε λίγα λεπτά, κατά τη διάρκεια της αποστολής.

**ΕΝΑ ΧΡΩΜΑ**  
Δεν υπάρχει έκθεση σε τοξικά χημικά



**ΔΥΟ ΧΡΩΜΑΤΑ**  
Υπάρχει **ΕΚΘΕΣΗ** σε τοξικά χημικά



**MORPHIX**  
TECHNOLOGIES

**safetypro**  
military

Sensor	Toxic Chemical	Conc. (ppm) PEL ½ IDLH	Time (min)	Physical Characteristics of Toxic Chemical <sup>1</sup>	Physical Symptoms of Exposure to Toxic Chemical <sup>1</sup>	Uses and Applications of Toxic Chemical <sup>1</sup>
Acid (low pH)	Hydrogen Chloride	5	30	Colorless, corrosive, non-flammable gas with pungent odor.	Inflammation of nose, throat and Larynx; coughing, burning of throat and choking.	Used in cleaning, pickling, electroplating metals, pool maintenance and tanning leather. Also produced during the burning of plastic.
		25	5			
Base (high pH)	Ammonia	50	3	Colorless gas with very pungent odor.	Eye, nose and throat irritation, chest pain, pulmonary edema and skin burns.	Manufacture of methamphetamines, nitric acid, explosives, synthetic fibers and fertilizers.
		150	1			
Chlorine/Fluorine	Chlorine	1	25	Greenish/yellow gas with suffocating odor.	Burning of eyes, nose and mouth; coughing and choking; eye skin burns.	For bleaching fabrics, purifying water, disinfecting and manufacturing of syn. rubber and plastics.
		5	4			
Hydrazine	Hydrazine	1	30	Colorless oily liquid that fumes in air. Odor resembles ammonia.	Irritation of eyes, nose and throat, temporary blindness; nausea.	Used to make agricultural chemicals and spandex. Used as rocket fuel.
		25	5			
Hydrogen Cyanide	Hydrogen Cyanide	10	10	Colorless, poisonous gas with a faint, bitter almond-like odor.	Headache, vertigo, nausea, vomiting, paralysis, unconsciousness and convulsions.	Used as a fumigant, liberated during use of cyanide in metal treatment operations.
		25	2			
Hydrogen Fluoride	Hydrogen Fluoride	3	30	Colorless gas that fumes in air.	Corrosive to skin and eyes. Severe burns may not be painful/visible for several hours.	Catalyst in the aluminum industry; Used to produce PTFE and in dye chemistries.
		15	3			
Hydrogen Sulfide	Hydrogen Sulfide	20	7	Flammable poisonous gas with characteristic odor of rotten eggs.	Salivation, GI disturbances, giddiness, sweating and fatigue.	Used to produce sulfur and sulfuric acid and in mining industry. Also used in chemical suicide.
		50	3			
Iodine	Iodine	0.1	20	Bluish black scales or plates, produces an orange stain.	Eye and nose irritant, lacrimation, headache, skin burns and chest tightness.	Manufacture of germicides, antiseptics and methamphetamines.
		1	5			
Nitrogen Dioxide	Nitrogen Dioxide	5	10	Reddish-brown gas with an irritating Odor.	Insidious gas; inflammation of lungs leading to pulmonary edema and possible death.	Produced by internal combustion engines, thermal power stations, and butane gas heaters.
		10	5			
Phosgene	Phosgene	0.1	30	Colorless highly toxic gas with odor reminiscent of moldy hay.	Choking, coughing, painful breathing - may be a symptom delay up to 24 hours.	Preparation of organic chemicals, as a war gas and burning car radiators containing Freon.
		1	5			
Phosphine	Phosphine	0.3	16	Poisonous gas with odor of decaying fish.	Nausea, vomiting, abdominal pain and diarrhea, thirst and chest pressure.	Used as an agricultural fumigant and in the production of methamphetamines.
		25	2			
Sulfur Dioxide	Sulfur Dioxide	5	10	Colorless, non-flammable gas with a strong suffocating odor.	Irritation of eyes, nose and throat, choking, coughing, eye and skin burns.	Preserving fruits and vegetables, disinfectant in breweries and food factories; bleaching.
		50	3			

<sup>1</sup> The Merck Index, Twelfth Edition, Published by Merck Research Laboratories, Division of Merck and Co., Whitehouse Station, NJ 1996

### WARRANTY EXCLUSIONS AND LIMITATION OF LIABILITY IF THE USER DOES NOT ACCEPT THE FOLLOWING TERMS, THE USER SHOULD NOT USE THE CHAMELEON CASSETTES AND ARMBAND.

Seller warrants that, for the lesser of two (2) years or the shelf-life provided on the Seller's product, its packaging or its literature, its products shall conform to the description of such products as provided on the Seller's product, its packaging or its literature. THIS WARRANTY IS EXCLUSIVE, AND SELLER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. Seller's warranties made in connection with this sale shall not be effective if Seller has determined, in its sole discretion, that Buyer has misused the products in any manner, has failed to use the products in accordance with safe industry standards and practices, or has failed to use the products in accordance with Seller's written operating instructions, or other instructions furnished by Seller to Buyer.

Seller's sole and exclusive liability and Buyer's exclusive remedy with respect to products to Seller's satisfaction to be defective or nonconforming shall be replacement of such products without charge or refund of the purchase price, in Seller's sole discretion, upon return of such products in accordance with Seller's instructions. All claims must be brought within two (2) years of shipment, regardless of their nature.

SELLER SHALL NOT IN ANY EVENT BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES OF ANY KIND RESULTING FROM ANY USE OR FAILURE OF THE PRODUCTS, EVEN IF SELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE INCLUDING, WITHOUT LIMITATION, LIABILITY FOR LOSS OF USE, LOSS OF WORK IN PROGRESS, DOWNTIME, LOSS OF REVENUE OR PROFIT, FAILURE TO REALIZE SAVINGS, LOSS OF PRODUCTS OF BUYER OR OTHER USE OF ANY LIABILITY OF BUYER TO A THIRD PARTY ON ACCOUNT OF SUCH LOSS, OR FOR ANY LABOR OR ANY OTHER EXPENSE, DAMAGE OR LOSS OCCASIONED BY SUCH PRODUCT INCLUDING PERSONAL INJURY OR PROPERTY DAMAGE UNLESS SUCH PERSONAL INJURY OR PROPERTY DAMAGE IS CAUSED BY SELLER'S GROSS NEGLIGENCE.

Warning: Keep out of reach of children, if ingested seek medical attention immediately.  
US Patent No. 6,284,198 and 8,043,861 Publication Number: 08-8070A.4-0217